

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with ATTORNEY EVELYN DEFILLO on 2/22/08.

The application has been amended as follows:

- 1) CANCEL NON-ELECTED Claims 7 & 8
- 2) in Claims 16 & 20, after the word "chloride", insert "-acrylic copolymer"

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance: The claims as now amended & supported by the submissions & arguments of 11/29/07 provide compositions of DDVP with weevil pheromones in PVC-ACRYLIC copolymer matrices for attracting & killing weevils as shown effective by applicant's & not suggested by the prior art of record. .

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to NEIL LEVY whose telephone number is 571-272-0619. The examiner can normally be reached on Tuesday-Friday, 7 AM to 5:30 PM EST..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, MICHAEL WOODWARD can be reached on 571-272-8373. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/NEIL LEVY/
Primary Examiner, Art Unit 1615

NEIL LEVY
Primary Examiner
Art Unit 1615